

PRODUCT NAME	PRODUCT DESCRIPTION	LOT #	EXP. DATE	ALL TEST RESULTS ARE POST PRODUCTION		
OmegaRx 2	Liquid	R08457AL	30-AGO-2018			
CONCENTRATION (1a)		LABEL CLAIM		BATCH RESULTS	DR. SEARS APPROVED	
EPA (C20:5)		500 mg/1000mg		516 mg/1000mg	PASS	
DHA (C22:6)		250 mg/1000mg		262 mg/1000mg	PASS	
PURITY, SAFETY (2b)		GOED STANDARD (d)	IFOS STANDARD (e)	DR. SEARS' STANDARD	BATCH RESULTS	DR. SEARS APPROVED
PCB - 209 Congeners		<90 ppb	<45 ppb	<5 ppb	<0.01 ppb	PASS
STABILITY (3c)		CRN/GOED STANDARD	IFOS STANDARD	DR. SEARS' STANDARD	BATCH RESULTS	DR. SEARS APPROVED
Peroxide		<5 meg/kg	<5 meg/kg	<5 meg/kg	0.99 meg/kg	PASS
Anisidine		<20	<20	<20	7.4	PASS
TOTOX		<26	<19.5	<19.5	9.38	PASS
DATA SOURCES						
All Test Results are Post Production.						
a) Dr. Sears' Concentration Standard on a mg/1000mg basis.						
b) Dr. Sears' PCB Standard based upon 209 PCB Congeners.						
c) Dr. Sears <19.5 Totox Standard Based Upon Post Production Totox Values.						
d) GOED - Global Organization for EPA and DHA Omega-3. For more information: www.goedomega3.com .						
e) IFOS - International Fish Oil 5 Star Standards. For more information: www.ifosprogram.com .						
f) Dr. Sears Heavy Metal Specifications: Mercury <0.01ppm, Lead <0.1ppm, Arsenic <0.1ppm and Cadmium <0.1ppm - Pass - Mfg. C of A.						